## NSN 5935-01-401-5312

**Thread Class:** 

Steel comp 316

2b

Electrical Plug Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-01-401-5312



**Thread Direction:** Right-hand **Body Style:** Angle shape, w/o cable clamp **Overall Diameter:** Between 1.365 inches and 1.385 inches **Body Angle In Deg:** 90.0 **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** 3 number 16 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Mating end Shell Type: Solid **Connector Locking Method:** Internally threaded coupling nut **Distance From Centerline To Connector End:** Between 3.200 inches and 3.280 inches **Distance From Centerline To Cable End:** 2.640 inches Thread Size: 1.250 inches **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate glass filled single mating end **Terminal Type:** Crimp single mating end single contact grouping **Shell Material:** 

## **NSN 5935-01-401-5312**Electrical Plug Connector - Page 2 of 2



Shell Surface Treatment:
Passivate
Included Contact Quantity:
3 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.015 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:
A039b0