NSN 5935-01-407-9621

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-407-9621 **Body Style:** Angle shape, pcb, external coupling **Overall Length:** 0.385 inches **Overall Height:** 0.380 inches **Overall Width:** 0.156 inches **Distance From Mounting Shoulder To Front Face:** 0.210 inches **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Maximum Current Rating In Amps:** 1.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 250.0 single mating end single contact grouping **Contact Maximum Frequency Rating:** 12.0 gigahertz single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Friction Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic polytetrafluoroethylene single mating end **Terminal Type:** Pin single mating end single contact grouping **Shell Material:**

Gold

Copper alloy

Included Contact Quantity:

Shell Surface Treatment:

1 single mating end single contact grouping

NSN 5935-01-407-9621

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:
Coaxial pin single mating end single contact grouping
Precious Material And Location:
Contact and body surfaces gold
Precious Material:
Gold
Shelf Life:

Demilitarization:

Unit Of Measure:

No

N/a

Fiig:

A039b0