## NSN 5935-01-410-6736

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-410-6736 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.205 inches **Environmental Protection:** Vibration resistant and shock resistant **Unthreaded Mounting Hole Diameter:** 0.102 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Shell Type:** Solid **Connector Locking Method:** Externally threaded shell **Thread Size:** 0.250 inches **Terminal Location:** Back single mating end single contact grouping **Contact Surface Treatment Specification:** Mil-g-45204, type 2, cl 1, grade c or d military specification 1st treatment response single mating end single contact grouping **Terminal Type:** Solder well single mating end single contact grouping **Contact Material Specification:** Qq-c-530 federal specification single material response single mating end single contact grouping **Included Contact Quantity:** 1 single mating end single contact grouping **Included Contact Type:** Coaxial socket single mating end single contact grouping Shelf Life: N/a **Unit Of Measure: Demilitarization:** Yes - demil/mli

Fiig:

A039b0

## NSN 5935-01-410-6736

Electrical Receptacle Connector - Page 2 of 2



Mil-std (military Standard):

Mil-g-45204 spec.