NSN 5935-01-411-9353

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-411-9353 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape threaded **Overall Length:** 1.300 inches **Overall Diameter:** 1.954 inches **Environmental Protection:** Humidity resistant and salt water resistant and shock proof and vibration proof **Distance From Mounting Shoulder To Front Face:** 0.539 inches **Mounting Facility Thickness:** Between 0.062 inches and 0.125 inches **Threaded Device Type:** Coupling facility and mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** 22-55 single mating end **Contact Removability:** Removable single mating end single contact grouping **Polarization Method:** Key or multiple key Shell Type: Solid **Connector Locking Method:** Bayonet pin **Thread Size:** 1.312 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Insert Material:**

Plastic epoxy single mating end **Terminal Type:**

Crimp single mating end single contact grouping

Shell Material:

Aluminum alloy

NSN 5935-01-411-9353

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Anodize
Included Contact Quantity:
55 single mating end single contact grouping
Bushing Accommodation Hole Shape:
Round
Included Contact Type:
Round pin single mating end single contact grouping
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0