## NSN 5935-01-412-0234

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-412-0234

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Right angle, card
Overall Length:
1.050 inches
Overall Width:
0.250 inches
Body Height:
0.400 inches
Environmental Protection:
Shock resistant and vibration resistant and corrosion resistant and humidity resistant and fungus resistant
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Jackscrew
Connector Locking Method:
Jackscrew-socket
Thread Size:
0.086 inches
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate glass filled single mating end
Terminal Type:
Printed circuit single mating end single contact grouping
Unable To Decode:
Unable to decode and unable to decode

Included Contact Quantity:

12 single mating end single contact grouping

## NSN 5935-01-412-0234

Electrical Receptacle Connector - Page 2 of 2



Round socket single mating end single contact grouping

**Special Features:** 

Jackscrew type-female and location-left handandjackscrew type-male and location-right hand

**Precious Material:** 

Gold

**Thread Series Designator:** 

Unc

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0