## NSN 5935-01-414-5801

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-414-5801

**Body Style:** 

Rectangular shape

**Overall Length:** 

0.200 inches

**Overall Width:** 

Between 0.095 inches and 0.105 inches

**Body Height:** 

0.130 inches

**Environmental Protection:** 

Corrosion resistant and heat resistant and cold resistant

**Mating End Quantity:** 

4

**Contact Position Arrangement Style:** 

1 row of contacts non-inserted board single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

1.0 single mating end single contact grouping

**Connector Locking Method:** 

Friction

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Insert Material:** 

Plastic polyester glass filled single mating end

**Terminal Type:** 

Pin single mating end single contact grouping

**Contact Material Specification:** 

Qq-c-533 federal specification single material response single mating end single contact grouping

**Shell Material:** 

Copper alloy

**Shell Surface Treatment:** 

Gold

**Shell Surface Treatment Specification:** 

Mil-g-45204 military specification single treatment response

**Shell Material Specification:** 

Qq-b-626, comp 22 federal specification single material response

**Included Contact Quantity:** 

2 single mating end single contact grouping

**Included Contact Type:** 

Round socket single mating end single contact grouping

## NSN 5935-01-414-5801

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.010 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039h0

Mil-std (military Standard):

Mil-g-45204 spec.