Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-418-9150

## Body Style:

Straight type

#### **Overall Length:**

0.170 inches

## Overall Width:

Between 0.065 inches and 0.090 inches

# **Environmental Protection:**

Thermal shock resistant and salt water resistant and vibration resistant and shock resistant and cold resistant

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

Nonstd single mating end

#### Contact Removability:

Removable single mating end single contact grouping

#### **Polarization Method:**

Contact

#### **Connector Locking Method:**

Friction

#### **Terminal Location:**

Back single mating end single contact grouping

## **Contact Material:**

Copper alloy single mating end single contact grouping

# Contact Surface Treatment:

Gold single mating end single contact grouping

## **Contact Surface Treatment Specification:**

Mil-g-45204 military specification single treatment response single mating end single contact grouping

#### **Terminal Type:**

Crimp single mating end single contact grouping

## Included Contact Quantity:

7 single mating end single contact grouping

#### Included Contact Type:

Round socket single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold

#### **Precious Material:**

Gold

Shelf Life:

N/a

## Unit Of Measure:

--

## Demilitarization:

No

Electrical Receptacle Connector - Page 2 of 2



**Fiig:** A039b0

Mil-std (military Standard):

Mil-g-45204 spec.