Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-423-4523

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, internal coupling
Overall Length:
Between 0.645 inches and 0.705 inches
Distance From Mounting Shoulder To Front Face:
Between 0.273 inches and 0.277 inches
Mounting Facility Thickness:
Between 0.228 inches and 0.232 inches
Threaded Device Type:
Mounting bushing
Mating End Quantity:
Contact Position Arrangement Style:
Nonstd single mating end Shell Type:
Solid
Connector Locking Method:
Snap lock Thread Size:
0.190 inches
Terminal Location:
Back single mating end single contact grouping Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and copper alloy single mating end single contact grouping
Insert Material:
Plastic polychlorotrifluoroethylene single mating end
Terminal Type:
Pin single mating end single contact grouping Shell Material:
Copper alloy Shell Surface Treatment:
Gold and copper alloy
Included Contact Quantity:
1 single mating end single contact grouping
Bushing Accommodation Hole Shape:
Round

Electrical Receptacle Connector - Page 2 of 2

Precious Material:

Gold

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

