## NSN 5935-01-425-2191

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-425-2191

Thread Class:
2a and 2b
Thread Direction:
Right-hand and right-hand
Body Style:
Straight shape, internal coupling
Overall Length:
1.370 inches
Overall Diameter:
1.510 inches
Threaded Device Type:
Back shell and coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
20-28 single mating end
Contact Removability:
Removable single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0
Shell Type:
Shell Type:
Shell Type: Solid
Shell Type: Solid Connector Locking Method:
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application:
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application: F-16
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application: F-16 Thready Qty Per Inch (tpi):
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application: F-16 Thready Qty Per Inch (tpi): 18 and 18
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application: F-16 Thready Qty Per Inch (tpi): 18 and 18 Thread Size:
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application: F-16 Thready Qty Per Inch (tpi): 18 and 18 Thread Size: 1.188 inches and 1.312 inches
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application: F-16 Thready Qty Per Inch (tpi): 18 and 18 Thread Size: 1.188 inches and 1.312 inches Terminal Location:
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application: F-16 Thready Qty Per Inch (tpi): 18 and 18 Thread Size: 1.188 inches and 1.312 inches Terminal Location: Back single mating end single contact grouping
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application: F-16 Thready Qty Per Inch (tpi): 18 and 18 Thread Size: 1.188 inches and 1.312 inches Terminal Location: Back single mating end single contact grouping Contact Material:
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application: F-16 Thready Qty Per Inch (tpi): 18 and 18 Thread Size: 1.188 inches and 1.312 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application: F-16 Thready Qty Per Inch (tpi): 18 and 18 Thread Size: 1.188 inches and 1.312 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Insert Material:
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application: F-16 Thready Qty Per Inch (tpi): 18 and 18 Thread Size: 1.188 inches and 1.312 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Insert Material: Plastic epoxy single mating end
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application: F-16 Thready Qty Per Inch (tpi): 18 and 18 Thread Size: 1.188 inches and 1.312 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Insert Material: Plastic epoxy single mating end Terminal Type:
Shell Type: Solid Connector Locking Method: Internally threaded coupling ring End Application: F-16 Thready Qty Per Inch (tpi): 18 and 18 Thread Size: 1.188 inches and 1.312 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Insert Material: Plastic epoxy single mating end Terminal Type: Crimp single mating end single contact grouping

## NSN 5935-01-425-2191

Electrical Plug Connector - Page 2 of 2



Shell Surface Treatment:
Cadmium
Included Contact Quantity:
28 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Thread Series Designator:
Unef and unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0