NSN 5935-01-428-6313

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-428-6313

Body Style: Rectangular shape **Overall Length:** 2.000 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.686 inches **Overall Height:** 2.240 inches **Overall Width:** 0.750 inches **Environmental Protection:** Moisture resistant and weather resistant Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.468 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** 34 single mating end **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 13.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 750.0 single mating end single contact grouping **Polarization Method:** Jackscrew Shell Type: Hood, top opening **Connector Locking Method:** Jackscrew-socket **Operating Tempurature Rating:** Between -55.0 degrees celsius and 125.0 degrees celsius **Terminal Location:** Back single mating end single contact grouping **Terminal Type:** Crimp single mating end single contact grouping **Shell Material:** Aluminum alloy **Shell Surface Treatment:**

Gold

NSN 5935-01-428-6313

Fiig: A039b0

Electrical Receptacle Connector - Page 2 of 2



Unable To Decode:	
Unable to decode and unable to decode	
Included Contact Quantity:	
34 single mating end single contact grouping	
Included Contact Type:	
Round pin single mating end single contact grouping	
Special Features:	
Jackscrew type-male and location-right handandjackscrew type-male and location-left han	nd
Precious Material And Location:	
Hood surfaces gold	
Precious Material:	
Gold	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	