## NSN 5935-01-441-6879

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-441-6879

**Body Style:** 

Straight shape

**Overall Length:** 

Between 2.302 inches and 2.322 inches

**Overall Height:** 

0.880 inches

**Overall Width:** 

Between 0.740 inches and 0.760 inches

**Environmental Protection:** 

Humidity resistant and shock proof and vibration resistant

**Unthreaded Mounting Hole Diameter:** 

Between 0.195 inches and 0.200 inches

**Distance Between Mounting Facility Centers:** 

Between 1.992 inches and 2.008 inches

**Threaded Device Type:** 

Coupling facility

**Mating End Quantity:** 

**Contact Position Arrangement Style:** 

42 single mating end

**Contact Removability:** 

Removable single mating end single contact grouping

**Polarization Method:** 

Jackscrew

**Connector Locking Method:** 

Jackscrew-socket

**Operating Tempurature Rating:** 

Between -55.0 degrees celsius and 125.0 degrees celsius

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Surface Treatment:** 

Solder single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate single mating end

**Contact Surface Treatment Specification:** 

Mil-c-28748 military specification single treatment response single mating end single contact grouping

**Terminal Type:** 

Crimp single mating end single contact grouping

**Insert Material Specification:** 

Mil-m-14, tpe sdg-f military specification single material response single mating end

**Included Contact Quantity:** 

42 single mating end single contact grouping

# NSN 5935-01-441-6879

Electrical Receptacle Connector - Page 2 of 2



Included	Contact	Type:
----------	---------	-------

Round pin single mating end single contact grouping

## **Special Features:**

Jackscrew type-male and location-left hand

#### **Test Data Document:**

81349-mil-c-28748 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Specification Data:**

81349-mil-c-28748/4 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-c-28748 spec.