NSN 5935-01-449-6289

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-449-6289 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Unable To Decode:** Unable to decode and unable to decode **Overall Length:** 2.062 inches **Overall Diameter:** 1.508 inches **Distance From Mounting Shoulder To Front Face:** 1.033 inches **Mounting Facility Thickness:** 0.188 inches **Threaded Device Type:** Coupling facility and back shell **Mating End Quantity: Contact Position Arrangement Style:** 13-12 single mating end **Contact Removability:** Removable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Externally threaded shell **Features Provided:** Safety wire hole Thready Qty Per Inch (tpi): 10 **Thread Size:** 0.875 inches **Terminal Location:** Back single mating end single contact grouping **Terminal Type:** Crimp single mating end single contact grouping **Shell Material:** Aluminum alloy

Shell Surface Treatment:Cadmium and nickel

NSN 5935-01-449-6289

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment Specification:

Qq-p-416 type ii class 3 federal specification single treatment response

Included Contact Quantity:

12 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

Special Features:

Fluorosilicone o-ring

Supplementary Features:

Mounting method - jam mut

Thread Series Designator:

Double stub and unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0