Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-460-9508

Body Style:	
Straight shape	
Overall Length	
Between 1.230	inches and 1.260 inches
Overall Height:	:
Between 1.146	inches and 1.170 inches
Overall Width:	
Between 4.297	inches and 4.330 inches
Environmental	Protection:
Salt water resist	tant and moisture resistant and vibration resistant and shock resistant and thermal shock resistant
Center To Cent	ter Distance Between Mounting Facilities Parallel To Height:
Between 0.558	inches and 0.566 inches
Distance Betwo	een Centerlines Of Mounting Facilities Parallel To Body Width:
Between 3.871	inches and 3.879 inches
Distance From	Mounting Shoulder To Front Face:
Between 0.615	inches and 0.630 inches
Mating End Qu	iantity:
1	
Contact Position	on Arrangement Style:
71 single mating	g end
Contact Remov	vability:
Removable sing	gle mating end single contact grouping
Contact Maxim	num Current Rating In Amps:
7.5 single matin	ng end single contact grouping
Polarization Me	ethod:
Mating end	
Shell Type:	
Solid	
Connector Loc	king Method:
Friction	
End Applicatio	ın:
C17a acft	
Terminal Locat	tion:
Back single mat	ting end single contact grouping
Contact Materi	al:
Copper alloy sir	ngle mating end single contact grouping
Contact Surfac	ce Treatment:
Gold single mat	ting end single contact grouping
Terminal Type:	:
Wire wrap single	e mating end single contact grouping
Shell Material:	
Aluminum alloy	

NSN 5935-01-460-9508

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment: Cadmium and nickel **Included Contact Quantity:** 71 single mating end single contact grouping Included Contact Type: Round socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material:** Gold Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig:

A039b0