NSN 5935-01-461-3410

Included Contact Quantity:

Included Contact Type:

8 single mating end single contact grouping

Dound pocket single meting and single contact grouping

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-461-3410

Body Style:
Straight shape
Overall Length:
2.729 inches
Overall Height:
0.620 inches
Overall Width:
0.494 inches
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Mounting Facility Centers:
2.500 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
8 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Connector Locking Method:
Friction
End Application:
Radar signal
Terminal Location:
Front single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and copper single mating end single contact grouping or nickel single mating end single
contact grouping
Contact Surface Treatment Specification:
Mil-g-45204 military specification 1st treatment response single mating end single contact grouping and mil-prf-24308 military specification
2nd treatment response single mating end single contact grouping and mil-prf-24308 military specification 3rd treatment response single
mating end single contact grouping
Terminal Type:
Pin jack single mating end single contact grouping
Shell Material:
Steel
Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Qq-p-416 federal specification single treatment response

NSN 5935-01-461-3410

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contacts gold
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-g-45204 spec.