NSN 5935-01-465-3312

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-465-3312

Body Style:
Right angle type
Overall Length:
1.487 inches
Overall Width:
0.525 inches
Body Height:
0.325 inches
Environmental Protection:
Vibration resistant and shock resistant and salt spray proof
Distance Between Mounting Facility Centers:
Between 1.260 inches and 1.270 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
37 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Jackscrew
End Application:
Cass opts 8g
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end or plastic mineral filled single mating end
Terminal Type:
Printed circuit single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium

Shell Surface Treatment Specification:

Qq-p-416, type ii, class 3 federal specification single treatment response

NSN 5935-01-465-3312

Electrical Receptacle Connector - Page 2 of 2



ct Quantity:

37 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-prf-83513 spec.