NSN 5935-01-466-2826

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-466-2826

Body Style:
Straight type
Overall Length:
2.350 inches
Overall Height:
0.535 inches
Overall Width:
0.250 inches
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Mounting Facility Centers:
2.100 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
30 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Jackscrew
Shell Type:
Solid
Connector Locking Method:
Connector Locking Method: Jackscrew-socket
-
Jackscrew-socket
Jackscrew-socket Terminal Location:
Jackscrew-socket Terminal Location: Back single mating end single contact grouping
Jackscrew-socket Terminal Location: Back single mating end single contact grouping Contact Material:
Jackscrew-socket Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping
Jackscrew-socket Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment:
Jackscrew-socket Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and nickel single mating end single contact grouping
Jackscrew-socket Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and nickel single mating end single contact grouping Terminal Type:
Jackscrew-socket Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and nickel single mating end single contact grouping Terminal Type: Printed circuit single mating end single contact grouping
Jackscrew-socket Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and nickel single mating end single contact grouping Terminal Type: Printed circuit single mating end single contact grouping Unable To Decode:
Jackscrew-socket Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and nickel single mating end single contact grouping Terminal Type: Printed circuit single mating end single contact grouping Unable To Decode: Unable to decode and unable to decode
Jackscrew-socket Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and nickel single mating end single contact grouping Terminal Type: Printed circuit single mating end single contact grouping Unable To Decode: Unable to decode and unable to decode Included Contact Quantity:

Special Features:

Jackscrew type-male and location-left handandjackscrew type-female and location-right hand

NSN 5935-01-466-2826

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:

Contacts gold

Test Data Document:

81349-55302 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-c-55302/58 government specification

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0