## NSN 5935-01-466-5980

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-466-5980

**Body Style:** 

Straight shape, external coupling

**Overall Length:** 

0.956 inches

Overall Diameter:

0.234 inches

**Environmental Protection:** 

Moisture resistant and salt water resistant and shock resistant and thermal shock resistant and vibration resistant

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

Nonstd single mating end

**Contact Maximum Frequency Rating:** 

500.0 megahertz single mating end single contact grouping

**Connector Locking Method:** 

Friction

**End Application:** 

Ca-117/sys-2a nimitz class cvn

**Operating Tempurature Rating:** 

Between -55.0 degrees celsius and 125.0 degrees celsius

**Terminal Location:** 

Front single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Crimping Tool Identifying Number:** 

00779-69710-2

**Terminal Type:** 

Pin jack single mating end single contact grouping

**Contact Material Specification:** 

Qq-c-530 federal specification single material response single mating end single contact grouping

Shell Material:

Copper alloy

**Shell Surface Treatment:** 

Gold

**Shell Material Specification:** 

Qq-b-626 federal specification single material response

**Included Contact Quantity:** 

1 single mating end single contact grouping

**Included Contact Type:** 

Coaxial socket single mating end single contact grouping

## NSN 5935-01-466-5980

Electrical Plug Connector - Page 2 of 2



Precious	Material	And	Location:
----------	----------	-----	-----------

Contact and shell plating gold

**Precious Material:** 

Gold

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0