NSN 5935-01-471-1043

Electrical Receptacle Connector - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5935-01-471-1043 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape, internal coupling **Unable To Decode:** Unable to decode and unable to decode **Overall Length:** Between 3.567 inches and 3.645 inches **Overall Height:** Between 2.605 inches and 2.646 inches **Overall Width:** Between 2.605 inches and 2.646 inches **Unthreaded Mounting Hole Diameter:** Between 0.204 inches and 0.214 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 2.062 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.062 inches **Cable Entrance Diameter:** Between 2.178 inches and 2.194 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 32-04 single mating end **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 60.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 208.0 single mating end single contact grouping **Polarization Method:** Key or multiple key **Insert Position In Deg:** 120.0 **Connector Locking Method:** Internally threaded coupling ring

End Application:

5450-01-359-3350

NSN 5935-01-471-1043 Electrical Receptacle Connector - Page 2 of 3



Cable Opening Length:
Between 0.928 inches and 0.990 inches
Thread Length:
1.557 inches
Features Provided:
Arc quenching and scoopproof design
Thready Qty Per Inch (tpi):
32
Thread Size:
2.250 inches
Terminal Location:
Front single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Nickel single mating end single contact grouping and silver single mating end single contact grouping
Insert Material:
Plastic single mating end
Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Nickel and cadmium
Shell Surface Treatment Specification:
Qq-n-290 federal specification single treatment response
Included Contact Quantity:
4 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Special Features:
Furnished items - protective cover and grip
Color:
Olive drab
Precious Material And Location:
Contact surfaces silver
Precious Material:
Silver
Thread Series Designator:
Double stub
Shelf Life:
N/a
Unit Of Measure:

NSN 5935-01-471-1043

Electrical Receptacle Connector - Page 3 of 3



Demilitarization:

No

Fiig:

A039b0