NSN 5935-01-471-2188

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-471-2188
Body Style:
Straight type
Overall Length:
0.796 inches
Overall Width:
0.124 inches
Body Height:
0.335 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
1 row of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic phenolic single mating end and glass fiber single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response single mating end single contact grouping
Terminal Type:
Solder well single mating end single contact grouping
Contact Material Specification:
Qq-c-530 federal specification single material response single mating end single contact grouping
Included Contact Quantity:
8 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Special Features:
Cross drilled connectors for hold down screws are 0.064 in. Diameter through two places in each connector; use with number 0-80 screws
Precious Material And Location:
Contact surfaces gold

Precious Material And Weight:

0.008 gold grains, troy

NSN 5935-01-471-2188

Electrical Receptacle Connector - Page 2 of 2



Gold
Supplementary Features:
Mounting method - terminal
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.

Precious Material: