

View Online at <https://aerobasegroup.com/nsn/5935-01-471-2737>

Thread Pitch Diameters:

+25.50/+25.70 millimeters

Thread Direction:

Right-hand

Body Style:

Straight shape, external coupling

Unable To Decode:

Unable to decode and unable to decode

Overall Length:

32.5 millimeters

Overall Diameter:

Between 41.0 millimeters and 46.0 millimeters

Environmental Protection:

Corrosion resistant and weather resistant

Distance From Mounting Shoulder To Front Face:

22.6 millimeters

Mounting Facility Thickness:

0.15 millimeters

Threaded Device Type:

Hub

Mating End Quantity:

1

Contact Position Arrangement Style:

15-19 single mating end

Contact Removability:

Removable single mating end single contact grouping

Polarization Method:

Key or multiple key

Insert Position In Deg:

113.0 and 156.0 and 182.0 and 292.0

Shell Type:

Solid

Connector Locking Method:

Detent

End Application:

2350-01-436-0005

Thread Length:

1.9 millimeters

Features Provided:

Scoopproof design and self-locking coupling nut and color band engagement indicator

Thread Size:

28.0 millimeters

Thread Pitch In Millimeters:

0.50

Terminal Location:

Front single mating end single contact grouping

Insert Material:

Plastic epoxy single mating end

Terminal Type:

Crimp single mating end single contact grouping

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium

Included Contact Quantity:

19 single mating end single contact grouping

Special Features:

Contacts not supplied- order seperatly

Thread Series Designator:

Iso m

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0