Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-474-0490

#### **Body Style:**

Rectangular shape, insulation piercing

Overall Length:

Between 2.714 inches and 2.744 inches

# **Overall Height:**

Between 0.803 inches and 0.833 inches

### **Overall Width:**

Between 0.479 inches and 0.509 inches

#### **Unthreaded Mounting Hole Diameter:**

Between 0.115 inches and 0.125 inches

### Distance Between Mounting Facility Centers:

2.500 inches

Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

37 single mating end

### **Contact Maximum Current Rating In Amps:**

5.0 single mating end single contact grouping

## Contact Maximum Dc Voltage Rating In Volts:

150.0 single mating end single contact grouping

## **Contact Maximum Frequency Rating:**

1.3 megahertz single mating end single contact grouping

### **Polarization Method:**

Mating end

#### **Connector Locking Method:**

Friction

## **Operating Tempurature Rating:**

Between -55.0 degrees celsius and 125.0 degrees celsius

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

#### Contact Surface Treatment:

Gold single mating end single contact grouping

#### **Terminal Type:**

Solder well single mating end single contact grouping

#### Shell Material:

Zinc

#### Shell Surface Treatment:

Nickel

## Included Contact Quantity:

37 single mating end single contact grouping



Included Contact Type:

Round socket single mating end single contact grouping

#### **Precious Material And Location:**

Socket contact mating areas gold

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A039b0