## NSN 5935-01-477-8706

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-477-8706

**Body Style:** 

Straight shape, external coupling

**Overall Length:** 

2.062 inches

**Overall Height:** 

Between 1.798 inches and 1.838 inches

Overall Width:

Between 1.798 inches and 1.838 inches

**Environmental Protection:** 

Shock proof

**Center To Center Distance Between Mounting Facilities Parallel To Height:** 

1.392 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.392 inches

**Distance From Mounting Shoulder To Front Face:** 

0.898 inches

**Threaded Device Type:** 

Back shell and coupling facility

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

25-92 single mating end

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

80.0 and 142.0 and 196.0 and 293.0

Shell Type:

Solid

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Insert Material:** 

Plastic fluorosilicone single mating end

**Terminal Type:** 

Crimp single mating end single contact grouping

**Shell Material:** 

Aluminum

**Shell Surface Treatment:** 

Nickel and cadmium

## NSN 5935-01-477-8706

Electrical Receptacle Connector - Page 2 of 2



Shell Surface	Treatment S	Specification:

Qq-p-416, type ii, class 3 federal specification single treatment response

**Included Contact Quantity:** 

92 single mating end single contact grouping

**Included Contact Type:** 

Round socket single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

Precious Material:

Gold

## **Test Data Document:**

81349-mil-c-28840 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-c-28840/10 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A039b0