# NSN 5935-01-478-9827

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-478-9827

**Body Style:** 

Straight shape

**Overall Length:** 

6.400 inches

**Overall Height:** 

Between 0.555 inches and 0.575 inches

**Overall Width:** 

0.350 inches

#### **Environmental Protection:**

Shock resistant and vibration resistant and corrosion resistant and humidity resistant and fungus resistant

#### **Unthreaded Mounting Hole Diameter:**

0.120 inches

#### **Distance Between Mounting Facility Centers:**

6.150 inches

#### **Mating End Quantity:**

1

## **Contact Position Arrangement Style:**

160 single mating end

# **Contact Removability:**

Nonremovable single mating end single contact grouping

# **Connector Locking Method:**

Friction

#### **End Application:**

Accessory set, inter; e-nsn isil; interconnect assembly

# **Operating Tempurature Rating:**

Between -65.0 degrees celsius and 125.0 degrees celsius

## **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

#### **Contact Surface Treatment:**

Gold single mating end single contact grouping

## **Insert Material:**

Plastic diallyl phthalate glass filled single mating end or plastic polyester glass filled single mating end

## **Terminal Type:**

Solder well single mating end single contact grouping

# **Included Contact Quantity:**

160 single mating end single contact grouping

# **Included Contact Type:**

Round socket single mating end single contact grouping

#### **Special Features:**

Full round guide pin/socket

# NSN 5935-01-478-9827

Fiig: A039b0

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.160 gold grains, troy
Precious Material:
Gold
Test Data Document:
81349-mil-dtl-55302 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-dtl-55302/139 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No