Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-481-1955

Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
31.5 millimeters
Overall Height:
Between 33.0 millimeters and 33.6 millimeters
Overall Width:
Between 33.0 millimeters and 33.6 millimeters
Environmental Protection:
Salt spray proof and dustproof and fungus resistant and vibration resistant and sand resistant
Center To Center Distance Between Mounting Facilities Parallel To Height:
Between 24.6 millimeters and 27.0 millimeters
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 24.6 millimeters and 27.0 millimeters
Distance From Mounting Shoulder To Front Face:
19.5 millimeters
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
17-8 single mating end
Contact Removability:
Removable single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0 and 49.0 and 169.0 and 200.0 and 244.0
Shell Type:
Solid
Connector Locking Method:
Internally threaded shell
End Application:
Fighter support aircraft (f/a-18); e-nsn isil
Thread Size:
25.0 millimeters
Terminal Location:
Back single mating end single contact grouping
Criticality Code Justification:
Agav



Terminal Type:

Crimp single mating end single contact grouping

Shell Material:

Resin synthetic

Thread Tolerance Class:

6g external

Included Contact Quantity:

99 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

Thread Series Designator:

lso m

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0