## NSN 5935-01-482-1050

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-482-1050

**Body Style:** 

Straight shape, external coupling

**Unable To Decode:** 

Unable to decode and unable to decode

**Overall Length:** 

31.5 millimeters

**Overall Height:** 

Between 45.7 millimeters and 46.3 millimeters

**Overall Width:** 

Between 45.7 millimeters and 46.3 millimeters

**Unable To Decode:** 

Unable to decode and unable to decode

**Unable To Decode:** 

Unable to decode and unable to decode

**Environmental Protection:** 

Corrosion resistant

Center To Center Distance Between Mounting Facilities Parallel To Height:

38.10 millimeters

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

38.10 millimeters

**Distance From Mounting Shoulder To Front Face:** 

Between 18.7 millimeters and 20.1 millimeters

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

25-4 single mating end

**Contact Removability:** 

Removable single mating end single contact grouping

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

0.0 and 80.0 and 142.0 and 196.0 and 293.0

**Shell Type:** 

Solid

**Connector Locking Method:** 

Externally threaded shell

**Operating Tempurature Rating:** 

Between -65.0 degrees celsius and 200.0 degrees celsius

**Terminal Location:** 

Back single mating end single contact grouping

**Terminal Type:** 

Crimp single mating end single contact grouping

## NSN 5935-01-482-1050

Fiig: A039b0

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Stainless steel
Included Contact Quantity:
8 single mating end 1st contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Special Features:
Emi shielding
Test Data Document:
81349-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification formation
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-c-38999/20 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No