## NSN 5935-01-482-1157

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-482-1157

**Body Style:** 

Straight shape, external coupling

**Unable To Decode:** 

Unable to decode and unable to decode

**Overall Length:** 

31.5 millimeters

**Overall Height:** 

Between 25.9 millimeters and 26.5 millimeters

**Overall Width:** 

Between 25.9 millimeters and 26.5 millimeters

**Unable To Decode:** 

Unable to decode and unable to decode

**Unable To Decode:** 

Unable to decode and unable to decode

**Environmental Protection:** 

Corrosion resistant

Center To Center Distance Between Mounting Facilities Parallel To Height:

20.62 millimeters

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

20.62 millimeters

**Distance From Mounting Shoulder To Front Face:** 

Between 19.5 millimeters and 20.9 millimeters

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

36100 single mating end

**Contact Removability:** 

Removable single mating end single contact grouping

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

0.0 and 90.0 and 145.0 and 195.0 and 252.0

**Shell Type:** 

Solid

**Connector Locking Method:** 

Externally threaded shell

**Operating Tempurature Rating:** 

Between -65.0 degrees celsius and 175.0 degrees celsius

**Terminal Location:** 

Back single mating end single contact grouping

**Terminal Type:** 

Crimp single mating end single contact grouping

# NSN 5935-01-482-1157

Electrical Receptacle Connector - Page 2 of 2



Ir	cli	ıded	Contact	Qua	ntity	,.
•	IUIL	ıucu	CUITACE	wuc		,

6 single mating end single contact grouping

### **Included Contact Type:**

Round socket single mating end single contact grouping

#### **Special Features:**

Emi shielding

#### **Test Data Document:**

81349-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-c-38999/20 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A039b0