NSN 5935-01-483-1940

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-483-1940

Body Style:

Straight shape, external coupling

Overall Length:

Between 1.270 inches and 1.300 inches

Overall Height:

0.969 inches

Overall Width:

0.969 inches

Environmental Protection:

Hermetic

Unthreaded Mounting Hole Diameter:

Between 0.120 inches and 0.130 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

0.719 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.719 inches

Distance From Mounting Shoulder To Front Face:

0.780 inches

Mating End Quantity:

Contact Position Arrangement Style:

40455 single mating end

Contact Maximum Current Rating In Amps:

10.0 single mating end single contact grouping

Contact Maximum Dc Voltage Rating In Volts:

750.0 single mating end single contact grouping

Polarization Method:

Key or multiple key

Connector Locking Method:

Externally threaded shell

Features Provided:

Color band engagement indicator

Terminal Location:

Back single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping

Terminal Type:

Solder well single mating end single contact grouping

Shell Material:

Steel comp 316l

Shell Surface Treatment:

Passivate

NSN 5935-01-483-1940

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity:

4 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

Special Features:

Polarization is at the "w" position

Precious Material And Location:

Contact plating gold

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0