## NSN 5935-01-487-5185

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-487-5185

**Body Style:** 

Straight shape, flange mount external coupling

**Overall Length:** 

Between 1.035 inches and 1.040 inches

**Overall Height:** 

Between 1.542 inches and 1.582 inches

Overall Width:

Between 1.542 inches and 1.582 inches

**Environmental Protection:** 

Salt spray proof

**Unthreaded Mounting Hole Diameter:** 

0.128 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

1.250 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.250 inches

**Mating End Quantity:** 

....

**Contact Position Arrangement Style:** 

21-16 single mating end

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

0.0 and 311.0 and 191.0 and 160.0 and 116.0

**Connector Locking Method:** 

Bayonet pin

**End Application:** 

5821-01-421-0805

**Terminal Location:** 

Back single mating end single contact grouping

**Terminal Type:** 

Crimp single mating end single contact grouping

**Included Contact Quantity:** 

16 single mating end single contact grouping

**Test Data Document:** 

81349-mil-c-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:** 

96906-ms27505 government standard

Shelf Life:

N/a

**Unit Of Measure:** 

--

## NSN 5935-01-487-5185

Electrical Receptacle Connector - Page 2 of 2



Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-c-38999 spec.