Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-496-2654

# **Body Style:**

Straight shape, external coupling

# **Overall Length:**

31.5 millimeters

# **Overall Height:**

46.0 millimeters

# **Overall Width:**

46.0 millimeters

# Center To Center Distance Between Mounting Facilities Parallel To Height:

38.10 millimeters

# Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

38.10 millimeters

# **Distance From Mounting Shoulder To Front Face:**

18.7 millimeters

# Mating End Quantity:

1

# **Contact Position Arrangement Style:**

25-24 single mating end

# **Insert Position In Deg:**

0.0 and 67.0 and 164.0 and 218.0 and 280.0

# Shell Type:

Solid

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Terminal Type:**

Crimp single mating end single contact grouping

#### **Shell Material:**

Aluminum alloy

Shell Surface Treatment:

Cadmium

#### **Included Contact Quantity:**

12 single mating end single contact grouping

#### **Included Contact Type:**

Round pin single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold

### **Precious Material:**

Gold

#### **Test Data Document:**

81349-mil-dtl-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Specification Data:**

81349-mil-dtl-38999/20 government specification

Electrical Receptacle Connector - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A039b0

# Mil-std (military Standard):

Mil-dtl-38999 spec.