NSN 5935-01-501-4686

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-501-4686 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.438 inches **Overall Diameter:** 0.688 inches **Distance From Mounting Shoulder To Front Face:** 0.675 inches **Mounting Facility Thickness:** Between 0.045 inches and 0.240 inches **Mating End Quantity: Contact Position Arrangement Style:** Bnc single mating end **Polarization Method:** Key or multiple key **Insert Position In Deg:** 120.0 and 120.0 and 120.0 **Connector Locking Method:** Bayonet slot Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping **End Application:** F18 e/f Thready Qty Per Inch (tpi): 28 **Thread Size:** 0.500 inches **Terminal Location:** Back single mating end single contact grouping **Criticality Code Justification:** Agav **Terminal Type:** Crimp single mating end single contact grouping **Included Contact Quantity:**

1 single mating end single contact grouping **Bushing Accommodation Hole Shape:**

Round w/flat

NSN 5935-01-501-4686

Electrical Receptacle Connector - Page 2 of 2



Product Name:
$Connector, \ receptacle, \ electrical\text{-triax}, \ straight$
Supplementary Features:
Mounting method - jam mut
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0