NSN 5935-01-507-2979



Electrical Plug Connector - Page 1 of 2	
View Online at https://aerobasegroup.com/nsn/5935-01-507-2979	
Thread Class:	
2a and 2b	
Thread Direction:	
Right-hand and right-hand	
Body Style:	
Straight shape, internal coupling w/strain relief	
Body Length:	
3.062 inches	
Overall Diameter:	
1.825 inches	
Cable Entrance Diameter:	
Between 0.523 inches and 0.956 inches	
Threaded Device Type:	
Back shell and coupling facility	
Mating End Quantity:	
1	
Contact Position Arrangement Style:	
25-92 single mating end	
Contact Removability:	
Removable single mating end single contact grouping	
Polarization Method:	
Key or multiple key	
Insert Position In Deg:	
0.0 and 135.0 and 170.0 and 200.0 and 310.0	
Shell Type:	
Split	
Connector Locking Method:	
Internally threaded coupling ring	
Connector Cable Strain Relief Method:	
Cable clamp	
Thready Qty Per Inch (tpi):	
18 and 10	
Thread Size:	

1.563 inches and 1.625 inches

Terminal Location:

Back single mating end single contact grouping

Terminal Type:

Crimp single mating end single contact grouping

Shell Material:

Aluminum

Shell Surface Treatment:

Cadmium

NSN 5935-01-507-2979Electrical Plug Connector - Page 2 of 2



Included Contact Quantity:
92 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Special Features:
Contacts per mil-c-39029/84-509
Color:
Olive drab
Precious Material And Location:
Contact surfaces gold
Precious Material:
Gold
Test Data Document:
81349-mil-c-28840 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Unef and double stub
Specification Data:
81349-mil-c-28840/17 government specification
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A039b0