## NSN 5935-01-507-5119

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-507-5119

**Body Style:** 

Straight shape, external coupling

**Overall Length:** 

1.240 inches

**Overall Height:** 

1.811 inches

**Overall Width:** 

1.811 inches

**Environmental Protection:** 

Salt water resistant

Center To Center Distance Between Mounting Facilities Parallel To Height:

Between 1.375 inches and 1.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:** 

Between 1.375 inches and 1.500 inches

**Distance From Mounting Shoulder To Front Face:** 

0.791 inches

**Mating End Quantity:** 

**Contact Position Arrangement Style:** 

24-24 single mating end

**Contact Removability:** 

Removable single mating end all contact groupings

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

0.0 and 88.0 and 163.0 and 207.0 and 281.0

Shell Type:

Solid

**Operating Tempurature Rating:** 

Between -55.0 degrees celsius and 125.0 degrees celsius

**Terminal Location:** 

Back single mating end all contact groupings

**Contact Material:** 

Copper alloy single mating end all contact groupings

**Contact Surface Treatment:** 

Gold single mating end all contact groupings

**Insert Material:** 

Plastic epoxy single mating end and glass single mating end

**Terminal Type:** 

Crimp single mating end all contact groupings

**Shell Material:** 

Aluminum alloy

## NSN 5935-01-507-5119

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Cadmium
Included Contact Quantity:
12 single mating end 2nd contact grouping
Included Contact Type:
Round socket single mating end all contact groupings
Special Features:
Hypertac socket contacts (buss disk), spacer (ring insulator)
Precious Material And Location:
Contact surfaces gold
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0