NSN 5935-01-509-3436

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-509-3436 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Unable To Decode:** Unable to decode and unable to decode **Overall Length:** 0.940 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity: Contact Maximum Current Rating In Amps:** 1.5 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 125.0 single mating end single contact grouping **Polarization Method:** Mating end **End Application:** Seawolf class ssn **Operating Tempurature Rating:** Between -20.0 degrees celsius and 80.0 degrees celsius Thready Qty Per Inch (tpi): 14 **Thread Size:** 1.000 inches **Terminal Location:** Back single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Terminal Type:** Printed circuit single mating end single contact grouping **Shell Material:** Plastic acrylonitrile **Bushing Accommodation Hole Shape:** Round keyed **Special Features:**

Contact plating gold

Connector is a rj-45 jack

Precious Material And Location:

NSN 5935-01-509-3436

Electrical Receptacle Connector - Page 2 of 2



Precious Material:
Gold
Supplementary Features:
Mounting method - bushing
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0