# NSN 5935-01-509-8690

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-509-8690

## Body Style:

Rectangular shape center screwlock

### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.724 inches

# **Overall Height:**

1.742 inches

# **Environmental Protection:**

Thermal shock resistant and vibration resistant

#### **Unthreaded Mounting Hole Diameter:**

0.171 inches

## Mating End Quantity:

1

# Contact Maximum Current Rating In Amps:

13.0 single mating end single contact grouping

## Contact Maximum Ac Voltage Rating In Volts:

1500.0 single mating end single contact grouping

#### **Connector Locking Method:**

Threaded hole

# **Operating Tempurature Rating:**

Between -55.0 degrees celsius and 125.0 degrees celsius

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

#### **Contact Surface Treatment:**

Nickel single mating end single contact grouping

#### **Terminal Type:**

Crimp single mating end single contact grouping

#### Shell Material:

Plastic

#### **Included Contact Quantity:**

24 single mating end single contact grouping

#### Included Contact Type:

Round pin single mating end single contact grouping

#### **Special Features:**

Keying position is b

#### Supplementary Features:

Mounting method - unthreaded hole

## Shelf Life:

N/a

#### Unit Of Measure:

---

Electrical Receptacle Connector - Page 2 of 2



Demilitarization:

No

Fiig:

A039b0