NSN 5935-01-511-1832

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-511-1832 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.375 inches **Overall Height:** 1.375 inches **Overall Width:** 1.375 inches **Unthreaded Mounting Hole Diameter:** 0.120 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.062 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.062 inches **Distance From Mounting Shoulder To Front Face:** 0.750 inches **Threaded Device Type:** Back shell **Mating End Quantity: Contact Position Arrangement Style:** 18-11 single mating end **Polarization Method:** Key, multiple key groove **Insert Position In Deg:** 0.0 **Connector Locking Method:** Externally threaded shell **End Application:** Control panel, oliver perry class ffg Thready Qty Per Inch (tpi): 18 **Thread Size:** 1.125 inches **Terminal Location:**

Back single mating end single contact grouping

Terminal Type:

Solder well single mating end single contact grouping

NSN 5935-01-511-1832

Electrical Receptacle Connector - Page 2 of 2



| Shell Material: |
|--|
| Aluminum alloy |
| Shell Surface Treatment: |
| Cadmium |
| Included Contact Quantity: |
| 5 single mating end single contact grouping |
| Included Contact Type: |
| Round socket single mating end single contact grouping |
| Color: |
| Olive drab |
| Supplementary Features: |
| Mounting method - unthreaded hole |
| Thread Series Designator: |
| Unef |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A039b0 |
| |