## NSN 5935-01-515-8739

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-515-8739

**Body Style:** 

Straight shape

**Overall Length:** 

Between 41.5 millimeters and 42.5 millimeters

**Overall Height:** 

Between 28.5 millimeters and 29.5 millimeters

**Overall Width:** 

Between 30.2 millimeters and 30.8 millimeters

**Unthreaded Mounting Hole Diameter:** 

3.3 millimeters

**Distance Between Mounting Facility Centers:** 

Between 31.8 millimeters and 32.2 millimeters

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

65 single mating end

**Contact Maximum Current Rating In Amps:** 

15.0 single mating end single contact grouping

**Contact Maximum Ac Voltage Rating In Volts:** 

250.0 single mating end single contact grouping

**Polarization Method:** 

Mating end

**Connector Locking Method:** 

Friction

**End Application:** 

6625-01-462-7491, general purpose electronic test equipment gpete

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Nickel single mating end single contact grouping

**Insert Material:** 

Plastic polycarbonate single mating end

**Terminal Type:** 

Quick disconnect, w/flat pin single mating end single contact grouping

**Included Contact Quantity:** 

3 single mating end single contact grouping

**Included Contact Type:** 

Flat socket single mating end single contact grouping

Color:

Black

## NSN 5935-01-515-8739

Electrical Receptacle Connector - Page 2 of 2



Mounting method - unthreaded hole

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0