Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-516-3576

Thread	Direction:
i ili cuu	

Right-hand

Body Style:

Straight shape

Overall Length:

2.295 inches

Terminal Length:

0.200 inches single mating end single contact grouping

Overall Height:

0.715 inches

Overall Width:

0.400 inches

Distance Between Mounting Facility Centers:

1.975 inches

Threaded Device Type:

Mounting stud

Mating End Quantity:

1

Contact Position Arrangement Style:

4 rows of contacts non-inserted board single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Contact Maximum Current Rating In Amps:

3.0 single mating end single contact grouping

Connector Locking Method:

Friction

End Application:

1270-01-142-2855; wsd: helicopter, apache ah-64

Operating Tempurature Rating:

Between -65.0 degrees celsius and 125.0 degrees celsius

Thread Size:

0.086 inches

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping

Insert Material:

Plastic polyphenylene sulfide single mating end

Terminal Type:

Solder well single mating end single contact grouping

NSN 5935-01-516-3576

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity: 86 single mating end single contact grouping Included Contact Type: Round socket single mating end single contact grouping **Special Features:** Furnished items - guide socket **Precious Material And Location:** Terminal surfaces gold **Precious Material:** Gold **Supplementary Features:** Mounting method - stud **Thread Series Designator:** Unc Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0