## NSN 5935-01-531-4390

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-531-4390

**Body Style:** 

Straight shape, flange mount external coupling

**Overall Length:** 

0.641 inches

**Overall Height:** 

1.047 inches

**Overall Width:** 

1.047 inches

**Environmental Protection:** 

Corrosion resistant and fungus resistant

**Unthreaded Mounting Hole Diameter:** 

0.005 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

0.812 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.812 inches

**Mating End Quantity:** 

---

**Contact Position Arrangement Style:** 

13119 single mating end

**Contact Removability:** 

Removable single mating end single contact grouping

**Polarization Method:** 

Key or multiple key

**Connector Locking Method:** 

Bayonet pin

**Connector Cable Strain Relief Method:** 

Crimp type

**End Application:** 

Nsn: 6625-01-492-9713; test program sets.

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Silver single mating end single contact grouping

**Insert Material:** 

Plastic epoxy single mating end

**Terminal Type:** 

Crimp single mating end single contact grouping

**Shell Material:** 

Aluminum alloy

## NSN 5935-01-531-4390

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Cadmium
Included Contact Quantity:
22 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Precious Material:
Silver
Supplementary Features:
Mounting method - unthreaded hole
Specification Data:
81349 - mil-c-38999 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-c-38999 spec.