## NSN 5935-01-532-7120

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-532-7120

**Body Style:** 

Rectangular shape, insulation piercing

**Overall Length:** 

Between 2.620 inches and 2.650 inches

**Overall Height:** 

0.555 inches

**Overall Width:** 

Between 0.590 inches and 0.620 inches

**Unthreaded Mounting Hole Diameter:** 

0.091 inches

**Distance Between Mounting Facility Centers:** 

2.406 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

100 single mating end

**Polarization Method:** 

Guide pin/socket

**Connector Cable Strain Relief Method:** 

Crimp type

**End Application:** 

Nsn: 6625-01-453-7394; dsets bradley a2; ws: testset electronic system; direct support (dsests).

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Terminal Type:** 

Crimp single mating end single contact grouping

**Shell Material:** 

Steel

**Shell Surface Treatment:** 

Chromate and cadmium

**Unable To Decode:** 

Unable to decode and unable to decode

**Included Contact Quantity:** 

100 single mating end single contact grouping

**Product Name:** 

Connector, electrical double density d 100 pin.

Color:

Yellow

## NSN 5935-01-532-7120

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surface treatment gold
Precious Material:
Gold
Supplementary Features:
Mounting method - unthreaded hole
Specification Data:
19200 - 12997895 manufacturers specification control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0