## NSN 5935-01-533-1821

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-533-1821

view Online at https://aerobasegroup.com/nsn/5935-01-533-1621
Body Style:
Straight shape
Overall Length:
3.589 inches
Overall Height:
0.450 inches
Overall Width:
0.190 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Friction
End Application:
Nsn 4935-01-136-0233; shop equipment, guided missile system; w/s: missile, patroit
Operating Tempurature Rating:
Between -65.0 degrees celsius and 105.0 degrees celsius
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Nickel single mating end
Terminal Type:
Printed circuit single mating end single contact grouping
Shell Material:
Plastic polyamide or glass fiber
Included Contact Quantity:
72 single mating end single contact grouping
Included Contact Type:

**Product Name:** 

Bergstik ii, hdr. D/r, .100/2.54cc straight

Square pin single mating end single contact grouping

## NSN 5935-01-533-1821

Electrical Receptacle Connector - Page 2 of 2



Special Features:
Body scored to be manually broken to desired length
Color:
Black
Precious Material And Location:
Contact surfaces gold
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0