## NSN 5935-01-534-1316

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-534-1316 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** Between 0.517 inches and 0.548 inches **Overall Diameter:** Between 2.000 inches and 2.032 inches **Distance From Mounting Shoulder To Front Face:** Between 0.433 inches and 0.443 inches **Mounting Facility Thickness:** Between 0.062 inches and 0.109 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** 18-32 single mating end **Polarization Method:** Key or multiple key **Connector Locking Method:** Bayonet latch Thready Qty Per Inch (tpi): 18 **Thread Size:** 1.500 inches **Terminal Location:** Back single mating end single contact grouping **Terminal Type:** Crimp single mating end single contact grouping **Included Contact Quantity:** 32 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Thread Series Designator:** Unef Shelf Life: N/a **Unit Of Measure:** 

--

## NSN 5935-01-534-1316

Electrical Receptacle Connector - Page 2 of 2



Demilitarization:

No

Fiig:

A039b0