

View Online at <https://aerobasegroup.com/nsn/5935-01-534-2053>

Thread Direction:

Right-hand

Unthreaded Mounting Hole Diameter:

0.102 inches

Cable Entrance Diameter:

0.050 inches

Mating End Quantity:

1

Contact Maximum Dc Voltage Rating In Volts:

18.0 single mating end single contact grouping

Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end single contact grouping

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Beryllium single mating end single contact grouping and copper single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping

Contact Surface Treatment Specification:

Mil-prf-39012 military specification single treatment response single mating end single contact grouping

Shell Material:

Steel comp 303

Shell Material Specification:

Astm a582 assn standard single material response

Included Contact Quantity:

2 single mating end single contact grouping

Included Contact Type:

Coaxial pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-prf-39012 spec.