NSN 5935-01-534-3994

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-534-3994 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape, flush mount **Overall Length:** 1.634 inches **Overall Height:** Between 3.060 inches and 3.090 inches **Overall Width:** Between 1.985 inches and 2.015 inches **Environmental Protection:** Thermal shock resistant and humidity resistant and vibration resistant and shock resistant and salt spray proof **Unthreaded Mounting Hole Diameter:** Between 0.118 inches and 0.122 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 2.783 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.437 inches **Distance From Mounting Shoulder To Front Face:** 1.569 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 67 2nd mating end **Contact Removability:** Removable all mating ends single contact grouping **Connector Locking Method:** Threaded hole **End Application:** Cass operational test program set - e2c **Operating Tempurature Rating:** Between -65.0 degrees celsius and 125.0 degrees celsius Thready Qty Per Inch (tpi): 40 **Thread Size:**

0.112 inches

Terminal Location:

Back all mating ends single contact grouping

NSN 5935-01-534-3994

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Crimp all mating ends single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium
Included Contact Quantity:
67 2nd mating end single contact grouping
Included Contact Type:
Round socket 1st mating end single contact grouping
Special Features:
Has rear release contacts.
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0