Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-534-3994

Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Straight shape, flush mount
Overall Length:
1.634 inches
Overall Height:
Between 3.060 inches and 3.090 inches
Overall Width:
Between 1.985 inches and 2.015 inches
Environmental Protection:
Thermal shock resistant and humidity resistant and vibration resistant and shock resistant and salt spray proof
Unthreaded Mounting Hole Diameter:
Between 0.118 inches and 0.122 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
2.783 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.437 inches
Distance From Mounting Shoulder To Front Face:
1.569 inches
Threaded Device Type:
Mounting hole
Mating End Quantity:
2
Contact Position Arrangement Style:
67 2nd mating end
Contact Removability:
Removable all mating ends single contact grouping
Connector Locking Method:
Threaded hole
End Application:
Cass operational test program set - e2c
Operating Tempurature Rating:
Between -65.0 degrees celsius and 125.0 degrees celsius
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Terminal Location:
Back all mating ends single contact grouping



Terminal Type:

Crimp all mating ends single contact grouping

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium

Included Contact Quantity:

67 2nd mating end single contact grouping

Included Contact Type:

Round socket 1st mating end single contact grouping

Special Features:

Has rear release contacts.

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0