NSN 5935-01-541-0886

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-541-0886

Body Style:
Straight shape
Overall Length:
2.088 inches
Overall Height:
0.641 inches
Overall Width:
0.494 inches
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Mounting Facility Centers:
1.852 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
25 single mating end
Contact Maximum Current Rating In Amps:
7.5 single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Lever
Lever End Application:
End Application:
End Application: Aircraft, f5-b
End Application: Aircraft, f5-b Operating Tempurature Rating:
End Application: Aircraft, f5-b Operating Tempurature Rating: Between -55.0 degrees celsius and 125.0 degrees celsius
End Application: Aircraft, f5-b Operating Tempurature Rating: Between -55.0 degrees celsius and 125.0 degrees celsius Terminal Location:
End Application: Aircraft, f5-b Operating Tempurature Rating: Between -55.0 degrees celsius and 125.0 degrees celsius Terminal Location: Back single mating end single contact grouping
End Application: Aircraft, f5-b Operating Tempurature Rating: Between -55.0 degrees celsius and 125.0 degrees celsius Terminal Location: Back single mating end single contact grouping Contact Material:
End Application: Aircraft, f5-b Operating Tempurature Rating: Between -55.0 degrees celsius and 125.0 degrees celsius Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping
End Application: Aircraft, f5-b Operating Tempurature Rating: Between -55.0 degrees celsius and 125.0 degrees celsius Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment:
End Application: Aircraft, f5-b Operating Tempurature Rating: Between -55.0 degrees celsius and 125.0 degrees celsius Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and nickel single mating end single contact grouping
End Application: Aircraft, f5-b Operating Tempurature Rating: Between -55.0 degrees celsius and 125.0 degrees celsius Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and nickel single mating end single contact grouping Terminal Type:
End Application: Aircraft, f5-b Operating Tempurature Rating: Between -55.0 degrees celsius and 125.0 degrees celsius Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and nickel single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping
End Application: Aircraft, f5-b Operating Tempurature Rating: Between -55.0 degrees celsius and 125.0 degrees celsius Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and nickel single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping Shell Material:
End Application: Aircraft, f5-b Operating Tempurature Rating: Between -55.0 degrees celsius and 125.0 degrees celsius Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and nickel single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping Shell Material: Steel
End Application: Aircraft, f5-b Operating Tempurature Rating: Between -55.0 degrees celsius and 125.0 degrees celsius Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping and nickel single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping Shell Material: Steel Shell Surface Treatment:

Included Contact Type:

Round pin single mating end single contact grouping

NSN 5935-01-541-0886

Electrical Receptacle Connector - Page 2 of 2



Special Features:
Next higher assembly6 virtual radar system transceiver
Precious Material:
Gold
Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0