## NSN 5935-01-541-2081

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-541-2081 **Thread Class:** 2a and 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.304 inches **Overall Height:** 1.318 inches **Overall Width:** 1.318 inches Center To Center Distance Between Mounting Facilities Parallel To Height: Between 0.969 inches and 1.062 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: Between 0.969 inches and 1.062 inches **Distance From Mounting Shoulder To Front Face:** 0.827 inches **Threaded Device Type:** Back shell and coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 17-35 single mating end Shell Type: Solid **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 28 **Thread Size:** 1.000 inches and 1.188 inches **Terminal Location:** Back single mating end single contact grouping **Terminal Type:** Crimp single mating end single contact grouping **Shell Material:** Plastic **Shell Surface Treatment:** 

Tin

**Included Contact Quantity:** 

55 single mating end single contact grouping

## NSN 5935-01-541-2081

Electrical Receptacle Connector - Page 2 of 2



Gold
Thread Series Designator
Un and double stub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

**Precious Material:** 

Mil-std (military Standard): Mil-c-29600 spec.