NSN 5935-01-541-4430

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-541-4430

Body Style:

Right angle type

Distance Between Mounting Facility Centers:

1.850 inches

Mating End Quantity:

1

Contact Position Arrangement Style:

40 single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Contact Maximum Current Rating In Amps:

3.0 single mating end single contact grouping

Terminal Location:

Side single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Tin single mating end single contact grouping

Insert Material:

Plastic diallyl phthalate glass filled single mating end and plastic polyester glass filled single mating end

Contact Surface Treatment Specification:

Mil-p-81728 military specification all treatment responses single mating end single contact grouping

Terminal Type:

Pin single mating end single contact grouping

Contact Material Specification:

Qq-b-626 federal specification single material response single mating end single contact grouping

Included Contact Quantity:

40 all mating ends all contact groupings

Included Contact Type:

Brush pin single mating end single contact grouping

Product Name:

Amphenol low mating force rectangular connector

Special Features:

Printed circuit, 90 degrees circuit board termination

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

NSN 5935-01-541-4430

Electrical Receptacle Connector - Page 2 of 2



Mil-std (military Standard):

Mil-p-81728 spec.