NSN 5935-01-543-4469



Electrical Receptacle Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-01-543-4469
Body Style:
Straight shape, external coupling
Overall Length:
31.5 millimeters
Overall Height:
36.5 millimeters
Overall Width:
36.5 millimeters
Environmental Protection:
Corrosion resistant and fungus resistant and moisture resistant and salt spray proof and shock resistant and vibration resistant and weather
resistant
Center To Center Distance Between Mounting Facilities Parallel To Height:
29.3 millimeters
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
29.3 millimeters
Distance From Mounting Shoulder To Front Face:
20.8 millimeters
Threaded Device Type:
Back shell and coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
19-35 single mating end
Contact Removability:
Removable single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0 and 103.0 and 160.0 and 220.0 and 294.0
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Terminal Location:
Back single mating and single contact grouping

Back single mating end single contact grouping

Terminal Type:

Crimp single mating end single contact grouping

Shell Material:

Resin synthetic

Shell Surface Treatment:

Cadmium

Included Contact Quantity:

66 single mating end single contact grouping

NSN 5935-01-543-4469

No Fiig: A039b0

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:
Round socket single mating end single contact grouping
Special Features:
Contacts per mil-c-39029/56-348
Precious Material And Location:
Contact surfaces gold
Precious Material:
Gold
Test Data Document:
81349-mil-dtl-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349 - mil-dtl-38999/20 government specification
Shelf Life:
N/a
Unit Of Measure:

Demilitarization: