## NSN 5935-01-545-5933

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-545-5933 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.070 inches **Overall Height:** Between 1.725 inches and 1.775 inches **Overall Width:** Between 1.725 inches and 1.775 inches **Unthreaded Mounting Hole Diameter:** 0.150 inches Center To Center Distance Between Mounting Facilities Parallel To Height: Between 1.428 inches and 1.448 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: Between 1.428 inches and 1.448 inches **Distance From Mounting Shoulder To Front Face:** Between 0.505 inches and 0.535 inches **Threaded Device Type:** Back shell **Mating End Quantity: Polarization Method:** Keyway or multiple keyway **Connector Locking Method:** Bayonet slot **End Application:** Nuclear power plants Thready Qty Per Inch (tpi): 18 **Thread Size:** 1.375 inches **Terminal Location:** Back single mating end single contact grouping **Shell Material: Plastic** 

**Included Contact Quantity:** 

19 single mating end single contact grouping

**Included Contact Type:** 

Round socket single mating end single contact grouping

## NSN 5935-01-545-5933

Electrical Receptacle Connector - Page 2 of 2



Color:
Black
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A039b0