Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-545-5933

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
1.070 inches
Overall Height:
Between 1.725 inches and 1.775 inches
Overall Width:
Between 1.725 inches and 1.775 inches
Unthreaded Mounting Hole Diameter:
0.150 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
Between 1.428 inches and 1.448 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 1.428 inches and 1.448 inches
Distance From Mounting Shoulder To Front Face:
Between 0.505 inches and 0.535 inches
Threaded Device Type:
Back shell
Mating End Quantity:
1
Polarization Method:
Keyway or multiple keyway
Connector Locking Method:
Bayonet slot
End Application:
Nuclear power plants
Thready Qty Per Inch (tpi):
Thready Qty Per Inch (tpi): 18
18
18 Thread Size:
18 Thread Size: 1.375 inches
18 Thread Size: 1.375 inches Terminal Location:
18 Thread Size: 1.375 inches Terminal Location: Back single mating end single contact grouping Shell Material: Plastic
18 Thread Size: 1.375 inches Terminal Location: Back single mating end single contact grouping Shell Material: Plastic Included Contact Quantity:
18 Thread Size: 1.375 inches Terminal Location: Back single mating end single contact grouping Shell Material: Plastic Included Contact Quantity: 19 single mating end single contact grouping
18 Thread Size: 1.375 inches Terminal Location: Back single mating end single contact grouping Shell Material: Plastic Included Contact Quantity:

Electrical Receptacle Connector - Page 2 of 2



Color:

Black

Thread Series Designator:

Unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0